



MOISTURE CONTROL • DEHUMIDIFICATION

MOCKADO RANGE

Centralised humidity control, with or without fresh-air supply.



MOCKADO CONSOLE-TYPE



MOCKADO FRESH AIR

Two approaches to centralised humidity management.

Choose dedicated recirculating dehumidification, or combine humidity control with filtered outdoor air through one ducted system.

35 - 220 L/day


350 - 2,000 m³/h fresh air

2 centralised approaches

Smarter systems for healthier indoor environments.

Centralised humidity control, considered as a system.

The Mockado range is built around two centralised approaches: recirculating indoor air for focused moisture removal, or adding filtered outdoor air when fresh-air supply and dehumidification need to be managed together.



CENTRALISED DEHUMIDIFICATION

Mockado Console-Type

Designed specifically for centralised indoor humidity control, working entirely with recirculated indoor air.

35 / 60 / 85 / 200 L/day

4 capacities



FRESH AIR + DEHUMIDIFICATION

Mockado Fresh Air

Provides centralised humidity control while also introducing filtered outdoor air into the building.

35 - 220 L/day


350 - 2,000 m³/h

Which Mockado fits the brief?

PRIMARY REQUIREMENT	CONSOLE-TYPE	FRESH AIR
Recirculating dehumidification	YES	-
Filtered outdoor air supply	-	YES
Humidity removal capacity	35 / 60 / 85 / 200 L/day	35 - 220 L/day
Fresh-air volume	-	350 - 2,000 m³/h

Selection guidance above is based on the product descriptions and key details in the Ventilair Group catalogue.

MOCKADO



CENTRALISED DEHUMIDIFICATION

Ventilair Mockado Console-Type Dehumidifier

The Ventilair Mockado Console-Type Dehumidifier is designed specifically for centralised indoor humidity control. It works entirely with recirculated indoor air, making it suited to applications where the primary requirement is efficient and dependable moisture removal.

Price & availability: enquiry / EPOA

[VIEW PRODUCT ONLINE](#) ➔

Product highlights

- ✓ 35 / 60 / 85 / 200 L/day
- ✓ Recirculating dehumidification
- ✓ Four capacity options
- ✓ Permanent condensate drain

MOISTURE REMOVAL CAPACITIES

35 L/day

60 L/day

85 L/day

200 L/day

A dedicated centralised option where fresh-air introduction is not the primary requirement.

FRESH AIR + DEHUMIDIFICATION

Ventilair Mockado Fresh Air Dehumidifier

The Ventilair Mockado Fresh Air Dehumidifier provides centralised humidity control while also introducing filtered outdoor air into the building. It is suited to applications where excess moisture and fresh-air supply both need to be managed through one ducted system.

Price & availability: enquiry / £POA

[VIEW PRODUCT ONLINE ↗](#)

MOCKADO



Humidity control + filtered outdoor air in one centralised ducted system

Product highlights

- ✓ 35 - 220 L/day
- ✓ 350 - 2,000 m³/h
- ✓ Filtered outdoor air supply
- ✓ Dehumidification mode

APPLICATION POSITIONING

For projects where excess moisture and fresh-air supply both need to be managed through one ducted system.

Product information reflects the Ventilair Group catalogue reviewed in September 2026. Specifications may change; confirm final selections before ordering.