

VENTILATION • HEAT RECOVERY • DEHUMIDIFICATION

DOSUNO RANGE

Combined ventilation, heat recovery and humidity control from one central system.

**DOSUNO****DOSUNO VERTICAL**

Two ways to combine fresh-air management and moisture control.

Choose a horizontal central ducted platform or a vertical floor-level format, both bringing together balanced ventilation, heat recovery and active dehumidification.

33 or 58 L/day**250 - 500 m³/h airflow****2 installation formats**

Smarter systems for healthier indoor environments.

Ventilation, heat recovery and humidity control, integrated.

The Dosuno range brings together balanced ventilation, energy recovery and active dehumidification within one central system. Both variants support fresh-air management and moisture control, with a choice of horizontal or vertical installation.



VENTILATION + DEHUMIDIFICATION

Dosuno

A central ducted unit that combines heat recovery ventilation with dehumidification and automatic condensate drainage.

250 - 500 m³/h

33 or 58 L/day



VENTILATION + DEHUMIDIFICATION

Dosuno Vertical

An upright floor-level option combining balanced ventilation, energy recovery and active humidity control.

350 or 500 m³/h

33 or 58 L/day

Which Dosuno fits the brief?

PRIMARY DIFFERENCE	DOSUNO	DOSUNO VERTICAL
Installation format	Horizontal central ducted unit	Vertical floor-level unit
Airflow capacity	250 - 500 m³/h	350 or 500 m³/h
Moisture removal	33 or 58 L/day	33 or 58 L/day
Condensate handling	Automatic condensate drainage	Automatic condensate pump

Selection guidance above is based on the product descriptions and key details in the Ventilair Group catalogue.

DOSUNO



VENTILATION + DEHUMIDIFICATION

Ventilair Dosuno Heat Recovery Ventilator and Dehumidifier

The Ventilair Dosuno Heat Recovery Ventilator and Dehumidifier combines two important aspects of indoor climate control within one central ducted system. In normal heat recovery ventilation mode it brings filtered outdoor air into the building while extracting stale indoor air. When additional moisture control is required, the Dosuno can operate as a dedicated central dehumidifier.

Price & availability: enquiry / £POA

[DISCOVER ONLINE](#)

Product highlights

- ✓ 250 - 500 m³/h
- ✓ Automatic humidity changeover
- ✓ H13 HEPA + activated carbon
- ✓ 33 or 58 L/day
- ✓ Automatic condensate drainage

SYSTEM POSITIONING

A central ducted platform for projects that need balanced ventilation, energy recovery and active humidity control in one integrated system.

33 L/day

58 L/day

 Up to 500 m³/h

VENTILATION + DEHUMIDIFICATION

Ventilair Dosuno Vertical Heat Recovery Ventilator and Dehumidifier

The Ventilair Dosuno Vertical Heat Recovery Ventilator and Dehumidifier combines balanced mechanical ventilation, energy recovery and active humidity control within a single upright unit. Designed for vertical installation, typically at floor level, it provides a practical central ventilation solution for properties where both fresh-air management and dehumidification are required.

Price & availability: enquiry / £POA

[DISCOVER ONLINE](#)

DOSUNO



Vertical floor-level format with integrated fresh-air management, heat recovery and dehumidification

Product highlights

- ✓ 350 or 500 m³/h
- ✓ 33 or 58 L/day
- ✓ Vertical floor-level format
- ✓ 220 V supply
- ✓ Automatic condensate pump

APPLICATION POSITIONING

For installations that benefit from an upright unit while still needing central ventilation, heat recovery and active humidity control.

Product information reflects the Ventilair Group catalogue reviewed in September 2026. Specifications may change; confirm final selections before ordering.